

Your Guide to Starting ENDOMETRIN®

What is ENDOMETRIN®?

ENDOMETRIN® Effervescent Vaginal Tablet is a progesterone supplement for women undergoing treatment for in vitro fertilization (IVF).

How does ENDOMETRIN® work?






Progesterone is one of the hormones essential for helping you to become and stay pregnant.

How do I use ENDOMETRIN®?

Dosing:

One tablet should be inserted into the vagina 2 to 3 times a day.

Administration:

-  Unwrap the applicator.
-  Put one tablet in the space provided at the end of the applicator. The tablet should fit snugly and not fall out.
-  While you are standing, sitting, or when lying on your back with your knees bent, gently place the thin end of the applicator well into the vagina.
-  Push the plunger to release the tablet.
-  Remove the applicator and throw it away in the trash.

Remember to use ENDOMETRIN® exactly as prescribed by your doctor.

What if I miss a dose?

If you forget a dose of ENDOMETRIN®, take the dose as soon as you remember, but do not use more than your daily dose.

If you have any questions or concerns, please feel free to contact us.

Clinic Name: _____

Physician Name: _____

Address: _____

City: _____

Province/Territory: _____

Postal Code: _____

Phone Number: _____



Notes:

Important Safety Information:

Sex steroids may also increase the risk of vision impairment. Talk to your doctor if you are 35 years of age or older and smoking, to prevent complications. ENDOMETRIN® should be stopped and contact your doctor immediately if you experience sudden severe headache, impaired vision and stroke.

The sudden discontinuation of ENDOMETRIN® may cause increased anxiety, moodiness and increased risk of seizures. If depression worsens, ENDOMETRIN® should be discontinued.

Common side effects with ENDOMETRIN® include: abdominal pain, nausea, swollen ovaries (ovarian hyperstimulation syndrome), abdominal bloating, headache, uterine cramping, vaginal bleeding, vomiting, urinary infections, constipation and tiredness. This is not a complete list of side effects. For any unexpected effects while taking ENDOMETRIN®, contact your doctor or pharmacist.

For more information, please consult the Patient Medication Information that came with your prescription of ENDOMETRIN®.

Reference:

ENDOMETRIN® Product Monograph. Ferring Pharmaceuticals. May 11, 2015.

© 2017 Ferring Inc. All rights reserved.
ENDOMETRIN® is a registered trade mark of Ferring B.V.

